


REV	ECO	REV BY	DATE	APPD	DATE
B	0025375	A.SUN	04-16-2012	B.SHEN	04-16-2012



NOTES:
1. ALL DIMENSIONS SHOWN IN PARENTHESIS
ARE REFERENCE DIMENSIONS. ALL
OTHER DIMENSIONS ARE TOLERANCED PER
THE FOLLOWING CHART UNLESS
OTHERWISE SPECIFIED.

"C" DIM. ±.055[1.40]
SHAFT EXT. ±.034[.86]
LEAD LENGTHS ±1.00[25.4]
EXTENDED
THRU-BOLTS ±.050[1.27]
ANGULAR DIMS ±2 DEGS

GEOMETRIC CHARACTERISTICS & SYMBOLS
— FLATNESS
— STRAIGHTNESS
— ANGULARITY
— PERPENDICULARITY (SQUARENESS)
— PARALLELISM
— ROUNDNESS (CIRCULARITY)
— CYLINDRICITY
— PROFILE OF ANY SURFACE
— PROFILE OF ANY LINE
— RUNOUT
— TRUE POSITION
— CONCENTRICITY
— SYMMETRY

ASME Y14.5M 1994

UNLESS OTHERWISE SPECIFIED
DIM. TOLERANCES ARE AS FOLLOWS:
INCH ±.1 ±.02 ±.005 ±.0005
mm ±0.5 ±0.13 ±0.013
ANG. ±.50 DEG
REMOVE BURRS & BREAK SHARP EDGES:
INCH .003-.015 mm 0.1-0.4
CORNER FILLETS TO:
INCH .020 mm 0.5
MACHINE SURFACES:
INCH 125 mm 3.2

METRIC DIMS. SHOWN IN [BRACKETS]

DR BY:

Jack.Jiang

10-10-2008

APPD:

D.Wood

10-10-2008

THIRD ANGLE PROJECTION

EDS DATE

11-11-2011

FORMAT REV

G

CONFIDENTIAL: THIS DRAWING AND ITS INFORMATION ARE
THE EXCLUSIVE AND CONFIDENTIAL PROPERTY OF REGAL-
BELOIT CORPORATION AND ARE NOT TO BE DISCLOSED,
DUPLICATED, DISTRIBUTED OR OTHERWISE USED WITHOUT
THE WRITTEN CONSENT OF REGAL-BELOIT CORPORATION.
—ALL RIGHTS RESERVED.



DESCRIPTION

OUTLINE

SIZE

D

DWG NO

CP1202L



SCALE

NONE

SHEET

1

REVISION:	ECO	REVISADO POR:	FECHA:	APROBADO POR:	FECHA:
B	0025375	A.SUN	04-16-2012	B.SHEN	04-16-2012





1. ALL DIMENSIONS SHOWN IN PARENTHESIS
ARE REFERENCE DIMENSIONS. ALL
OTHER DIMENSIONS ARE TOLERANCED PER
THE FOLLOWING CHART UNLESS
OTHERWISE SPECIFIED.

±.055[1.40]
±.034[.86]
±1.00[25.4]
±.050[1.27]
±2 DEGS

CARACTERÍSTICAS DE GEOMETRIA Y SIMBOLOS	A MENOS QUE SE ESPECIFIQUE DE OTRA MANERA, LAS TOLERANCIAS DE LAS DIMS. SON LAS SIGUIENTES:	DIBUJADO POR: Jack.Jiang	10-10-2008
— RECTITUD	PULG. X XX XXX XXXX	APROBADO POR: D.Wood	10-10-2008
— ANGULARIDAD	mm ±0.5 ±0.13 ±0.013	TERCER ANGULO DE PROYECCION	FECHA EDS: 11-11-2011 REV. FORMATO: G
⊥ PERPENDICULARIDAD (A ESCUADRA)	ANG. ±50 GRADOS	CONFIDENCIAL: ESTE DIBUJO Y SU INFORMACION SON PROPIEDAD DE USO EXCLUSIVO Y CONFIDENCIAL DE REGAL-BELOIT CORPORATION. Y NO DEBERAN SER REVELADOS, DUPLICADOS, DISTRIBUIDOS O USARSE DE OTRA MANERA SIN EL CONSENTIMIENTO ESCRITO DE REGAL-BELOIT CORPORATION. —TODOS LOS DERECHOS RESERVADOS.	DESCRIPCION: OUTLINE
// PARALELISMO	ELIMINAR REBABAS Y ORILLAS FILOSAS DEL BORDE.		TAMAÑO: D NUMERO DE DIBUJO: CP1202L
○ REDONDEZ (CIRCULARIDAD)	PULG. .003-.015 mm 0.1-0.4		ESCALA: NONE
⊂ CILINDRICIDAD	FILETEAR ESQUINA: PULG. .020 mm 0.5		HOJA: 1
⊂ PERFIL DE CUALQUIER SUPERFICIE	MAQUINAR SUPERFICIES		
⊂ PERFIL DE CUALQUIER LINEA	PULG. 125 mm 3.2		
↑ VARIACION	DIMS METRICAS MOSTRADAS [PARENTESIS]		
⊕ POSICION REAL			
⊙ CONCENTRICIDAD			
≡ SIMETRIA			

ASME Y14.5M 1994

版本	ECO	编制	日期	批准	日期
B	0025375	A.SUN	04-16-2012	B.SHEN	04-16-2012



1. ALL DIMENSIONS SHOWN IN PARENTHESIS
ARE REFERENCE DIMENSIONS. ALL
OTHER DIMENSIONS ARE TOLERANCED PER
THE FOLLOWING CHART UNLESS
OTHERWISE SPECIFIED.

±.055[1.40]
±.034[.86]
±1.00[25.4]
±.050[1.27]
±2 DEGS

形位公差	除另有注明 尺寸公差如下:
平面度	英寸 ±.1
直线度	毫米 ±.02
倾斜度	英寸 ±.02
垂直度	毫米 ±.005
平行度	英寸 ±.005
圆度	毫米 ±.0005
圆柱度	角度 ±.50 度
面轮廓度	清理毛刺和尖棱
线轮廓度	英寸 .003-.015 毫米 0.1-0.4
圆跳动	内圆角
位置度	英寸 .020 毫米 0.5
同轴度	表面粗糙度
对称度	英制 125 米制 3.2

ASME Y14.5M 1994

米制尺寸显示在[]

绘图:	Jack.Jiang	10-10-2008
批准:	D.Wood	10-10-2008
第三角投影	图底格式发布日期 11-11-2011	图底格式版本 G
机密: 本图纸及相关信息所有权归REGAL-BELOIT CORPORATION 未经REGAL-BELOIT CORPORATION书面授权, 不得泄露、 复制、传播或作其他用途。--版权所有		

名称		OUTLINE	
图幅	D	图号	CP1202L
比例	NONE	页号	1